

ANTI-INFLAMMATORY AND ANTIOXIDANT PROPERTIES OF SUNFLOWER SEEDS: IMPLICATIONS FOR RHEUMATOID ARTHRITIS MANAGEMENT

Tasawar Iqbal*

Institute of Physiology and Pharmacology, University of Agriculture, Faisalabad, Pakistan.

Article Info

Article Received: 15 January 2026,
Article Revised: 05 February 2026,
Published on: 01 March 2026.



*Corresponding author:

Tasawar Iqbal

Institute of Physiology and
Pharmacology, University of Agriculture,
Faisalabad, Pakistan.

tasawariqbal177@gmail.com

<https://doi.org/10.5281/zenodo.18820826>

How to cite this Article:

Tasawar Iqbal. (2026). "Anti-Inflammatory And Antioxidant Properties Of Sunflower Seeds: Implications For Rheumatoid Arthritis Management". World Journal of Pharmaceutical and Healthcare Research, 3(2), 01-10.

This work is licensed under Creative Commons Attribution 4.0 International license.

ABSTRACT

Rheumatoid arthritis (RA) is a chronic autoimmune disorder characterized by persistent joint inflammation, oxidative stress, and progressive cartilage destruction. Conventional therapies, including non-steroidal anti-inflammatory drugs (NSAIDs), disease-modifying antirheumatic drugs (DMARDs), and biologics, provide symptomatic relief but are often associated with adverse effects and high costs. In recent years, increasing attention has been directed toward dietary interventions and functional foods as complementary approaches for RA management. Sunflower seeds (*Helianthus annuus*) are nutrient-dense and rich in bioactive compounds with promising health benefits. They provide essential fatty acids, proteins, dietary fiber, vitamins, minerals, and phytochemicals with demonstrated anti-inflammatory and antioxidant properties. The anti-inflammatory effects of sunflower seeds are primarily attributed to linoleic acid, phytosterols, and phenolic compounds that modulate pro-inflammatory cytokines such as TNF- α , IL-1 β , and IL-6. In addition, vitamin E and selenium act as potent antioxidants by neutralizing reactive oxygen species, preventing lipid peroxidation, and enhancing endogenous defense systems, including superoxide dismutase and glutathione peroxidase. These mechanisms collectively contribute to reducing joint inflammation, oxidative stress, and tissue damage, thereby supporting joint integrity. Emerging preclinical evidence highlights the therapeutic potential of sunflower seed extracts and oil in inflammatory conditions, though clinical trials in RA populations remain limited. Integrating sunflower seeds into the diet may offer a safe, accessible, and cost-effective adjunctive approach to current RA therapies. Future research should focus on standardized dosages, clinical validation, and the development of sunflower-based nutraceuticals or delivery systems to enhance bioavailability.

KEYWORDS: Sunflower Seeds, Rheumatoid Arthritis, Anti-Inflammatory, Antioxidant, *Helianthus Annuus*, Nutraceuticals.

1. INTRODUCTION

Rheumatoid arthritis (RA) is a chronic, systemic autoimmune disorder that primarily affects the synovial joints, leading to persistent inflammation, synovial hyperplasia, cartilage destruction, and progressive bone erosion. It is characterized by pain, swelling, stiffness, and loss of function, significantly impairing quality of life. The global prevalence of RA ranges between 0.5–1%, with women disproportionately affected compared to men. Although the precise etiology of RA remains unclear, a complex interplay of genetic, environmental, hormonal, and immunological factors contributes to disease onset and progression. Central to its pathogenesis is the dysregulation of the immune system, resulting in abnormal activation of T cells, B cells, macrophages, and the subsequent release of pro-inflammatory cytokines such as tumor necrosis factor-alpha (TNF- α), interleukin-1 beta (IL-1 β), and interleukin-6 (IL-6). In parallel, oxidative stress has emerged as a critical

player in RA pathology, where an imbalance between reactive oxygen species (ROS) production and antioxidant defense mechanisms aggravates tissue injury and perpetuates inflammation (Hasan et al., 2022) (Iqbal et al., 2023). Conventional pharmacological interventions, including non-steroidal anti-inflammatory drugs (NSAIDs), corticosteroids, disease-modifying antirheumatic drugs (DMARDs), and biologic agents, have improved clinical outcomes. However, long-term use is often associated with significant side effects, reduced patient compliance, and financial burden. Consequently, increasing attention has been directed toward complementary approaches, particularly dietary interventions, which can provide safe, affordable, and sustainable strategies for RA management. Nutritional therapy is gaining recognition not only as a preventive measure but also as an adjunct to conventional treatments. Diets rich in antioxidants, polyunsaturated fatty acids, and phytochemicals have been shown to reduce

inflammation, mitigate oxidative damage, and improve overall health outcomes in patients with RA (Venetsanopoulou et al., 2024) (Altaf et al., 2023). Among various functional foods, sunflower seeds (*Helianthus annuus*) have attracted scientific interest due to their dense nutritional profile and bioactive constituents. Sunflower seeds are an excellent source of vitamin E, selenium, magnesium, zinc, polyunsaturated fatty acids, phenolic compounds, and phytosterols. Vitamin E, a lipid-soluble antioxidant, is particularly abundant in sunflower seeds and plays a vital role in protecting cell membranes against oxidative stress, which is a major contributor to RA pathology. Selenium and zinc, on the other hand, are essential cofactors for antioxidant enzymes such as glutathione peroxidase and superoxide dismutase, which help neutralize ROS and reduce oxidative burden in inflamed joints. Additionally, the presence of linoleic acid and phytosterols contributes to the seeds' anti-inflammatory properties by modulating cytokine production and downregulating inflammatory pathways (Adeleke & Babalola, 2020) (Saqib et al., 2023).

The growing body of evidence highlights the potential of sunflower seeds as a natural therapeutic resource for managing chronic inflammatory disorders, including RA. While most studies have focused on the general health benefits of sunflower seeds, their specific implications for joint health and autoimmune regulation remain underexplored. Nevertheless, preliminary findings suggest that sunflower seeds may reduce oxidative stress, modulate immune responses, and protect against inflammation-induced tissue damage (Ghosh et al., 2024). This review aims to provide a comprehensive analysis of the anti-inflammatory and antioxidant properties of sunflower seeds and to explore their potential implications in the management of RA. By consolidating available evidence from biochemical studies, experimental models, and clinical observations, this review seeks to highlight the therapeutic promise of sunflower seeds as a complementary dietary intervention. Furthermore, the review discusses existing research gaps and future directions, emphasizing the need for clinical validation and nutraceutical development (Chaudhary et al., 2025) (Iqbal & Ahmad, 2024).

2. Rheumatoid Arthritis: Pathophysiology and Current Challenges

Overview of Immune Dysregulation and Joint Inflammation

Rheumatoid arthritis (RA) is primarily driven by immune system dysregulation, which initiates and sustains chronic inflammation within synovial joints. Genetic predisposition, environmental triggers, and aberrant immune responses converge to activate autoreactive T and B cells. These immune cells infiltrate the synovial membrane, stimulating macrophages and dendritic cells to release pro-inflammatory cytokines such as tumor necrosis factor- α (TNF- α), interleukin-1 beta (IL-1 β), and interleukin-6 (IL-6) (Iqbal, Fatima, et al., n.d.). These mediators amplify

the inflammatory cascade, recruit neutrophils, and promote synovial hyperplasia, leading to pannus formation. The inflamed pannus erodes cartilage and bone, resulting in progressive joint destruction, pain, stiffness, and disability. Chronic immune activation also induces systemic manifestations, including cardiovascular complications and fatigue, highlighting RA as a disease extending beyond joint pathology (Boissier et al., 2020) (Iqbal et al., 2024).

Role of Oxidative Stress in RA Progression

Alongside immune dysregulation, oxidative stress plays a critical role in RA pathogenesis. Reactive oxygen species (ROS) and reactive nitrogen species (RNS) are generated excessively by activated immune cells within inflamed joints. In healthy conditions, antioxidant enzymes such as superoxide dismutase (SOD), catalase (CAT), and glutathione peroxidase (GPx) maintain redox balance. However, in RA, the antioxidant defense system is overwhelmed, leading to oxidative damage of lipids, proteins, and DNA (Mushtaq et al., n.d.). This oxidative burden perpetuates inflammation by activating nuclear factor-kappa B (NF- κ B) and other signaling pathways that upregulate cytokine expression. Furthermore, oxidative stress accelerates cartilage degradation and bone resorption by promoting matrix metalloproteinase (MMP) activity and osteoclast differentiation. Thus, oxidative imbalance not only sustains chronic inflammation but also contributes to irreversible joint damage (Wang et al., 2022). (Iqbal & Ahmed, n.d.-a).




Figure No. 1: Pathophysiology of Sunflower Seeds' effect on Rheumatoid Arthritis.

Limitations of Conventional Therapies

Pharmacological therapies remain the cornerstone of RA management, aiming to control inflammation, relieve pain, and slow disease progression. Non-steroidal anti-inflammatory drugs (NSAIDs) provide symptomatic relief but do not alter disease course, while corticosteroids, though effective, are limited by metabolic, cardiovascular, and bone-related adverse effects. Disease-modifying antirheumatic drugs (DMARDs), such as methotrexate, are widely used to suppress immune responses; however, their onset of action is slow, and long-term use can lead to hepatotoxicity, bone marrow suppression, and gastrointestinal issues (Iqbal, Yousaf, et al., n.d.). Biologic agents targeting cytokines, particularly TNF inhibitors, have revolutionized RA treatment but remain costly and increase susceptibility to infections. Moreover, inter-patient variability in drug response and the potential for treatment resistance highlight the incomplete efficacy of existing pharmacological options. Consequently, despite significant advancements, achieving long-term remission in all RA patients remains an ongoing challenge (Cox et al., 2025) (Iqbal & Ahmed, n.d.-b).

Need for Natural Adjunctive Therapies

Given the limitations of conventional therapies, there is a growing interest in exploring natural adjunctive strategies to complement existing treatments. Dietary interventions, herbal medicines, and functional foods rich in anti-inflammatory and antioxidant compounds present promising alternatives. These approaches offer the potential to reduce systemic inflammation, restore redox balance, and improve patient quality of life with fewer side effects and greater accessibility. Natural interventions such as polyphenols, omega-3 fatty acids, and plant-derived antioxidants have already demonstrated benefits in mitigating RA-related inflammation. Within this context, sunflower seeds (*Helianthus annuus*), abundant in vitamin E, selenium, linoleic acid, and phytosterols, emerge as a nutritional resource with dual anti-inflammatory and antioxidant potential. Investigating such natural therapies could open new avenues for cost-effective, safer, and sustainable management of RA (Ghosh et al., 2024) (Iqbal, Salma, et al., n.d.).

3. Nutritional Profile of Sunflower Seeds

Sunflower seeds (*Helianthus annuus*) are valued worldwide as a nutrient-dense food with a unique combination of macronutrients, micronutrients, and bioactive compounds. Their rich nutritional composition not only contributes to general health but also holds therapeutic relevance in inflammatory and oxidative stress-related diseases such as rheumatoid arthritis (RA). The following subsections highlight the major nutritional attributes of sunflower seeds and their roles in inflammation and oxidative stress regulation (Iqbal, Javeria, et al., n.d.).

Macronutrients: Proteins, Healthy Fats, and Fibers

Sunflower seeds are an excellent source of plant-based protein, contributing approximately 20–25% of their

weight. These proteins provide essential amino acids required for tissue repair and immune function. Some peptides derived from sunflower proteins have shown antioxidant properties, further supporting their health-promoting role (Adeleke & Babalola, 2020). The seeds are particularly rich in healthy fats, accounting for nearly 50% of their composition. Polyunsaturated fatty acids (PUFAs), primarily linoleic acid, constitute the bulk of these fats, along with smaller amounts of monounsaturated fatty acids such as oleic acid. PUFAs help regulate lipid metabolism, reduce low-density lipoprotein (LDL) cholesterol, and modulate inflammatory pathways. In the context of RA, they may reduce the production of pro-inflammatory eicosanoids, thereby alleviating joint inflammation (Kapoor et al., 2021) (Altaf et al., 2026). Dietary fiber, also present in significant amounts, contributes to digestive health, regulation of blood sugar, and maintenance of gut microbiota. A healthy gut microbiome is increasingly recognized as a modulator of systemic inflammation and immune responses, which are central to RA progression (Kumar et al., 2020).

Micronutrients: Vitamin E, Selenium, Magnesium, and Zinc

Sunflower seeds are particularly rich in vitamin E, one of the most potent lipid-soluble antioxidants. Vitamin E protects cell membranes from oxidative damage by scavenging free radicals, thereby limiting lipid peroxidation in inflamed tissues. For RA patients, adequate vitamin E intake may help reduce oxidative stress in joints and enhance immune regulation (Rafeeq et al., 2020). Selenium is another essential micronutrient abundant in sunflower seeds. It functions as a cofactor for glutathione peroxidase, a critical enzyme in neutralizing hydrogen peroxide and other reactive oxygen species (ROS). Selenium also influences immune responses by modulating cytokine production and enhancing T-cell proliferation (Ameen et al., 2024). Magnesium, present in considerable amounts, plays a central role in enzymatic activity, bone health, and neuromuscular function. Importantly, magnesium deficiency has been associated with chronic low-grade inflammation, suggesting its contribution to inflammatory disease control. Zinc, another key element in sunflower seeds, supports antioxidant defense by serving as a cofactor for superoxide dismutase (SOD). Zinc also regulates immune function and gene expression, both of which are vital in the pathophysiology of RA (Souza et al., 2023).

Bioactive Compounds: Polyphenols, Flavonoids, and Phytosterols

Beyond macro- and micronutrients, sunflower seeds contain numerous bioactive compounds with therapeutic potential. Polyphenols and flavonoids present in sunflower seeds exert strong antioxidant activity by directly scavenging ROS and modulating intracellular signaling pathways linked to inflammation. These compounds may suppress the activation of NF- κ B, a transcription factor involved in the expression of pro-inflammatory cytokines (Adeleke & Babalola, 2020). Phytosterols,

structurally similar to cholesterol, are abundant in sunflower seeds. They are known for lowering serum cholesterol levels and reducing cardiovascular risk, which is particularly important in RA patients who have an increased risk of cardiovascular comorbidities. In addition, phytosterols demonstrate immunomodulatory properties, contributing to the downregulation of inflammatory mediators(Poudel et al, 2023).

Relevance in Inflammation and Oxidative Stress Control

The synergistic action of sunflower seeds' nutrients provides a dual benefit in RA management. Proteins and

PUFAs regulate immune responses, vitamin E and selenium enhance antioxidant defenses, and polyphenols, flavonoids, and phytosterols reduce pro-inflammatory signaling. Together, these components may alleviate joint inflammation, limit oxidative damage, and improve overall metabolic health. This unique nutritional profile highlights sunflower seeds as a promising dietary intervention for managing chronic inflammatory diseases(Annamma et al, 2024).

Table No. 1: Nutritional, Anti-Inflammatory, and Antioxidant Relevance of Sunflower Seeds in Rheumatoid Arthritis Management.

Section	Subtopic	Key Components	Mechanism/Action	Evidence Source	Relevance to RA	References
Introduction	RA Background	Autoimmune, inflammatory	Chronic joint damage	Clinical studies	Sets disease context	(Sokolova et al, 2022)
RA Pathophysiology	Immune Dysregulation	T cells, cytokines	Drives synovial inflammation	Pathogenesis research	Explains target mechanisms	(Fang et al, 2020)
RA Pathophysiology	Oxidative Stress	ROS, RNS	Induces joint damage	Preclinical studies	Highlights oxidative burden	(Hameister et al, 2020)
RA Challenges	Current Therapies	NSAIDs, DMARDs, biologics	Reduce inflammation	Clinical use	Limited by side effects	(Prasad et al, 2023)
Nutritional Profile	Macronutrients	Proteins, healthy fats, and fibers	Support metabolism & immunity	Nutritional studies	Provide systemic support	(Munteanu & Schwartz, 2022)
Nutritional Profile	Micronutrients	Vitamin E, selenium, Mg, Zn	Antioxidant, anti-inflammatory	Biochemical studies	Counteract oxidative stress	(El-Sayed et al, 2024)
Nutritional Profile	Bioactive Compounds	Polyphenols, flavonoids, phytosterols	Modulate pathways	Nutraceutical evidence	Natural immunomodulation	(Maheshwari et al, 2022)
Anti-Inflammatory	Cytokine Modulation	TNF- α , IL-1 β , IL-6	Downregulation	In vitro/in vivo	Reduces inflammation	(Saleh et al, 2021)
Anti-Inflammatory	Fatty Acids	Linoleic acid	Regulates eicosanoids	Animal models	Controls joint inflammation	(Mustonen & Nieminen, 2021)
Anti-Inflammatory	Phytosterols	Plant sterols	Inhibit NF- κ B	Experimental data	Immunosuppressive effect	(Liew et al, 2025)
Antioxidant	Vitamin E & Selenium	Nutrients	Neutralize ROS	Clinical nutrition	Protects joint cells	(Bryliński et al, 2025)
Antioxidant	Enzyme Support	SOD, CAT, GPx	Enhances defense	Preclinical	Maintains redox balance	(Singh et al, 2023)
Antioxidant	Lipid Protection	Polyunsaturated fats	Prevent lipid peroxidation	Lab findings	Preserves membrane integrity	(Félix et al, 2020)
RA Management	Dietary Role	Sunflower seeds	Adjunctive therapy	Limited trials	Potential integrative use	(D. Sharma et al, 2021)
Future Scope	Research Gaps	Clinical trials, standardization, nanoformulations	Improved bioavailability	Ongoing research	Translation into practice	(Herdiana, 2025)

4. Anti-Inflammatory Properties of Sunflower Seeds

Rheumatoid arthritis (RA) is marked by persistent inflammation in synovial joints, driven by cytokine imbalances and immune dysregulation. Sunflower seeds (*Helianthus annuus*) contain bioactive compounds and

nutrients that exhibit potent anti-inflammatory effects. These properties make them an attractive dietary intervention for managing chronic inflammation in RA(A. Sharma & Goel, 2023).

Mechanisms of Action in Reducing Inflammatory Mediators

Sunflower seeds possess several constituents polyunsaturated fatty acids, phytosterols, flavonoids, and vitamin E that act through diverse mechanisms to suppress inflammation. These compounds inhibit nuclear factor-kappa B (NF- κ B), a central transcription factor that regulates the expression of pro-inflammatory genes. By downregulating NF- κ B signaling, sunflower seed constituents reduce the production of inflammatory mediators such as prostaglandins, nitric oxide, and matrix metalloproteinases (MMPs), all of which contribute to joint destruction in RA. Moreover, antioxidants present in sunflower seeds indirectly reduce inflammation by lowering oxidative stress, which otherwise activates pro-inflammatory pathways(Mazzocchi et al, 2021).

Modulation of Cytokines (TNF- α , IL-1 β , IL-6)

One of the most significant anti-inflammatory effects of sunflower seeds lies in their ability to modulate cytokine production. RA progression is fueled by elevated levels of TNF- α , IL-1 β , and IL-6, which recruit immune cells and perpetuate synovial inflammation. Studies suggest that bioactive compounds from sunflower seeds can suppress the secretion of these cytokines. For example, vitamin E has been shown to reduce IL-1 β activity, while polyphenolic compounds modulate TNF- α and IL-6 expression by interfering with intracellular signaling pathways. By lowering cytokine levels, sunflower seed components may slow pannus formation and protect cartilage and bone from degradation(Chojnacka & Lewandowska, 2023).

Effects of Linoleic Acid and Phytosterols in Inflammation Control

Linoleic acid, a major polyunsaturated fatty acid in sunflower seeds, plays a vital role in inflammatory regulation. It serves as a precursor for anti-inflammatory lipid mediators that counterbalance the effects of pro-inflammatory eicosanoids. Dietary linoleic acid has been associated with reductions in systemic inflammation and improvements in lipid metabolism, both of which are

beneficial for RA patients(Harwood, 2023). Phytosterols, another abundant component of sunflower seeds, exhibit structural similarity to cholesterol and can modulate immune responses. They inhibit the production of pro-inflammatory cytokines and may reduce activation of macrophages and T cells, thereby suppressing joint inflammation. Additionally, phytosterols are known to enhance intestinal barrier function, indirectly preventing systemic inflammation triggered by microbial products from the gut(El Omari et al, 2024).

Evidence from in Vitro and in Vivo Studies

Experimental studies provide preliminary support for the anti-inflammatory effects of sunflower seeds and their extracts. In vitro investigations have demonstrated that sunflower-derived phenolic compounds reduce oxidative stress-induced inflammation by scavenging free radicals and inhibiting NF- κ B activation in cultured immune cells. Similarly, sunflower oil, rich in linoleic acid, has been shown to reduce markers of inflammation in cell-based assays(Tonolo et al, 2024).

In vivo studies further highlight their therapeutic potential. Animal models of inflammation treated with sunflower seed extracts displayed reduced joint swelling, decreased inflammatory cell infiltration, and lower serum levels of TNF- α and IL-6. Additionally, dietary supplementation with sunflower oil in rodents has been reported to improve antioxidant enzyme activities while attenuating systemic inflammation. Although human clinical data remain limited, these findings provide a strong foundation for future investigations in RA populations. The anti-inflammatory potential of sunflower seeds is attributed to their multifaceted effects: suppression of inflammatory mediators, modulation of cytokine activity, and the beneficial roles of linoleic acid and phytosterols. Evidence from laboratory and animal studies underscores their promise as a natural adjunctive therapy for RA, warranting further clinical exploration(Kciuk et al, 2024)(Ahmad & Iqbal, 2025).




Figure No. 2: Heatmap of sunflower seed constituents.

5. Antioxidant Properties of Sunflower Seeds

Oxidative stress is a critical factor in the initiation and progression of rheumatoid arthritis (RA). Excessive production of reactive oxygen species (ROS) and reactive nitrogen species (RNS) within inflamed joints damages proteins, lipids, and DNA, perpetuating inflammation and accelerating cartilage and bone degradation. Antioxidants play a protective role by restoring redox balance, reducing oxidative injury, and modulating inflammatory pathways. Sunflower seeds (*Helianthus annuus*), rich in vitamin E, selenium, polyphenols, and other antioxidant compounds, represent a natural dietary source with potential therapeutic relevance in RA (Zamudio-Cuevas et al., 2022) (Iqbal, n.d.) (Iqbal, Ahmed, et al., n.d.).

Role of Vitamin E and Selenium in Neutralizing Free Radicals

Vitamin E is the most abundant antioxidant in sunflower seeds and functions as a lipid-soluble radical scavenger. It protects polyunsaturated fatty acids in cellular membranes from peroxidation by neutralizing free radicals, thereby maintaining membrane integrity. In RA, where lipid peroxidation is significantly elevated, vitamin E supplementation has been shown to reduce oxidative stress markers and improve clinical symptoms such as joint stiffness and pain (Szymańska et al., 2020). Selenium, another key nutrient in sunflower seeds, serves as a cofactor for glutathione peroxidase (GPx), one of the body's most powerful antioxidant enzymes. Adequate selenium levels are essential for efficient detoxification of hydrogen peroxide and lipid hydroperoxides, which otherwise exacerbate tissue injury in RA. Selenium also contributes to immune regulation by modulating the proliferation of T lymphocytes and reducing the expression of pro-inflammatory cytokines (Ameen et al., 2024).

Enhancement of Endogenous Antioxidant Enzymes (SOD, CAT, GPx)

In addition to supplying direct antioxidants, sunflower seeds support the activity of endogenous defense systems. Zinc and magnesium, present in significant quantities, act as cofactors for superoxide dismutase (SOD) and catalase (CAT), enzymes that dismantle superoxide radicals and hydrogen peroxide. By strengthening the activities of SOD, CAT, and GPx, sunflower seed nutrients enhance the body's natural resilience against oxidative stress. This improvement in antioxidant enzyme function not only reduces oxidative injury but also limits downstream inflammatory signaling pathways that drive RA progression (Hassan & Hamza, 2025).

Prevention of Lipid Peroxidation and Oxidative Damage in Joints

A major consequence of oxidative imbalance in RA is lipid peroxidation within synovial membranes and articular cartilage. The resulting toxic by-products, such as malondialdehyde (MDA), further activate inflammatory signaling and damage joint tissues. Sunflower seeds, through vitamin E, selenium, and phenolic compounds,

prevent lipid peroxidation and stabilize cellular structures in joint tissues. By reducing oxidative modification of proteins and DNA, these compounds protect chondrocytes and synoviocytes from apoptosis and dysfunction, thereby slowing cartilage destruction (Zamudio-Cuevas et al., 2022).

Experimental and Clinical Findings

Preclinical studies have consistently demonstrated the antioxidant potential of sunflower seeds and their derivatives. In animal models of inflammation, sunflower oil supplementation has been shown to elevate antioxidant enzyme activity, lower MDA levels, and reduce oxidative stress-induced tissue damage. In vitro experiments also confirm that sunflower phenolic extracts possess strong free radical scavenging activity comparable to standard antioxidants (Cho et al., 2024). Clinical evidence, though limited, provides encouraging insights. Studies investigating sunflower oil and vitamin E supplementation in patients with arthritis have reported improvements in oxidative stress biomarkers and reductions in joint pain and stiffness. While more randomized controlled trials are needed to establish conclusive benefits, these findings highlight the clinical promise of sunflower seeds as an accessible dietary antioxidant source for RA patients. The antioxidant properties of sunflower seeds stem from their rich content of vitamin E, selenium, and supportive micronutrients that boost endogenous defense systems. By neutralizing free radicals, enhancing antioxidant enzyme activity, and preventing lipid peroxidation, sunflower seeds can potentially protect joint tissues from oxidative injury in RA (Bilski & Nuskiewicz, 2025).

6. Implications for Rheumatoid Arthritis Management

Rheumatoid arthritis (RA) is a debilitating autoimmune disorder that demands long-term treatment strategies to control inflammation, reduce oxidative stress, and prevent irreversible joint damage. Although pharmacological therapies remain the cornerstone of RA management, the exploration of complementary dietary interventions has gained momentum. Sunflower seeds (*Helianthus annuus*), owing to their anti-inflammatory and antioxidant properties, are increasingly being considered as a nutritional adjunct that may support conventional therapies and improve patient outcomes (Prasad et al., 2023).

Potential Role of Sunflower Seeds as a Dietary Supplement in RA

Sunflower seeds provide a rich source of vitamin E, selenium, polyunsaturated fatty acids, and phytosterols, all of which contribute to inflammation control and oxidative stress reduction. Regular dietary intake of sunflower seeds could potentially lower pro-inflammatory cytokine levels, enhance antioxidant defenses, and reduce joint tissue damage. For RA patients, these benefits may translate into improved symptom relief, decreased disease activity, and enhanced quality of life. Moreover, sunflower seeds are easily available, affordable, and well accepted as part of a balanced diet, making them a practical nutritional

supplement in chronic disease management (Khurana & Singh, 2020).

Synergistic Effects with Conventional Therapies

Pharmacological treatments such as NSAIDs, DMARDs, and biologics target specific inflammatory pathways, but they do not fully address oxidative stress, which plays a crucial role in RA pathology. Nutrients and bioactive compounds in sunflower seeds may complement these therapies by enhancing antioxidant enzyme activities and reducing oxidative burden. For example, vitamin E can protect joint tissues from oxidative injury while selenium enhances glutathione peroxidase activity, collectively supporting the action of DMARDs in reducing systemic inflammation. The combination of conventional drugs with dietary antioxidants may also allow for lower medication dosages, thereby minimizing long-term adverse effects (Satapathy et al, 2025).

Evidence from Animal Models and Human Trials

Preclinical studies provide valuable insights into the therapeutic promise of sunflower seeds. Animal models of arthritis supplemented with sunflower seed extracts or sunflower oil have demonstrated reduced joint inflammation, improved antioxidant status, and decreased levels of pro-inflammatory cytokines such as TNF- α and IL-6. These findings suggest that sunflower-derived compounds can modulate immune responses and protect against oxidative damage in inflamed tissues. Human studies are limited but encouraging. Clinical trials

evaluating vitamin E supplementation in arthritis patients have reported reductions in pain and improvements in mobility, though results vary depending on dosage and duration. Sunflower oil, as a dietary source of polyunsaturated fatty acids, has also been associated with better cardiovascular health in RA patients, who are at higher risk of comorbidities. However, direct large-scale clinical trials investigating whole sunflower seed supplementation in RA populations remain scarce, representing a critical research gap (Lim et al, 2025).

Long-Term Safety and Feasibility in RA Patients

One of the advantages of sunflower seeds is their favorable safety profile. Unlike pharmacological drugs, sunflower seeds are natural food sources that can be consumed daily without significant side effects. They provide additional nutritional benefits, including support for cardiovascular and metabolic health, which are often compromised in RA patients. Nonetheless, moderation is important, as excessive intake may contribute to calorie overload or imbalances in fatty acid ratios. Integrating sunflower seeds into dietary plans under clinical guidance appears feasible, safe, and sustainable for long-term RA management. Sunflower seeds hold promise as a complementary dietary strategy for RA due to their antioxidant and anti-inflammatory effects, their potential synergy with standard therapies, and their favorable safety profile. While preclinical findings are encouraging, rigorous clinical validation is required before definitive recommendations can be made (Adeleke & Babalola, 2020).

Table No. 2: Constituents of Sunflower Seeds (*Helianthus annuus*).

Category	Constituents	Physiological Role / Relevance	References
Macronutrients	Proteins (essential amino acids)	Supports tissue repair, immunity, and muscle health	(Kapoor et al, 2021)(Iqbal, Altaf, et al, n.d.)
	Healthy fats (monounsaturated, polyunsaturated, omega-6 linoleic acid)	Anti-inflammatory, energy source, joint protection	
	Dietary fibers	Supports gut health, regulates metabolism	
Micronutrients	Vitamin E (tocopherols)	Potent antioxidant, protects cell membranes	(Khadim & Al-Fartusie, 2021)
	Selenium	Antioxidant, boosts immune function	
	Magnesium	Regulates enzyme activity, reduces inflammation	
	Zinc	Immune support, antioxidant defense	
	B-complex vitamins (niacin, folate, pantothenic acid)	Energy metabolism, DNA synthesis	
Bioactive Compounds	Polyphenols	Antioxidant, anti-inflammatory	(Winiarska-Mieczan et al, 2023)(Iqbal & Altaf, 2025)
	Flavonoids	Scavenge free radicals, modulate immune signaling	
	Phytosterols	Compete with cholesterol absorption, anti-inflammatory	
	Tryptophan	Precursor for serotonin, mood regulation	
	Chlorogenic acid	Antioxidant, reduces oxidative stress	

7. Future Perspectives and Research Gaps

Although sunflower seeds show promising nutritional and therapeutic potential, further research is essential to establish their clinical relevance in rheumatoid arthritis (RA). Most available evidence is preclinical, with limited human studies, highlighting the urgent need for well-designed clinical trials to confirm efficacy, safety, and optimal consumption levels in RA populations. Standardization of sunflower seed extracts, particularly in terms of bioactive compounds like vitamin E, selenium, and phyosterols, is critical for consistent outcomes. Moreover, advanced approaches such as nanoparticle-based delivery systems could enhance the bioavailability of sunflower-derived compounds, ensuring better therapeutic responses. Another promising direction involves incorporating sunflower seeds into functional foods and nutraceutical formulations, offering a convenient and sustainable adjunct to conventional RA therapies. Addressing these research gaps will not only validate the role of sunflower seeds in RA management but also broaden opportunities for natural, diet-based interventions (D. Sharma et al, 2021).

8. CONCLUSION

Sunflower seeds (*Helianthus annuus*) represent a valuable dietary resource with significant anti-inflammatory and antioxidant properties that may contribute to the management of rheumatoid arthritis (RA). Their rich content of vitamin E, selenium, polyphenols, and essential fatty acids helps modulate inflammatory pathways, reduce oxidative stress, and protect joint tissues from progressive damage. Evidence from experimental studies suggests that sunflower seeds can influence cytokine activity and enhance endogenous antioxidant defenses, thereby mitigating RA-related complications. While conventional therapies remain central in RA treatment, incorporating sunflower seeds as a dietary adjunct may enhance therapeutic outcomes and improve patients' quality of life. However, current evidence is largely preclinical, and robust human clinical trials are necessary to establish efficacy, safety, and appropriate dosage. With further validation, sunflower seeds hold the potential to be integrated into functional foods or nutraceuticals, offering a natural and sustainable strategy in RA therapy.

9. REFERENCES

- Adeleke, B. S., & Bababla, O. O. Oilseed crop sunflower (*Helianthus annuus*) as a source of food: Nutritional and health benefits. *Food Science & Nutrition*, 2020; 8(9): 4666–4684.
- Ahmad, A., & Iqbal, T. (2025). *Multifaceted Benefits of Basil (Ocimum spp.): Agriculture, Culinary, and Medicinal Uses*.
- Altaf, S., Iqbal, T., Majeed, W., Farooq, M. A., Naseer, D., Saleem, M., Babar, S. U. R., & Ikram, M. Plasma membrane camouflaged nanoparticles: an emerging antibacterial approach. *One Health Triad, Unique Scientific Publishers, Faisalabad, Pakistan*, 2023; 2: 193–200.
- Altaf, S., Iqbal, T., Naeem, M. A., & Ikram, M. Pharmacological role of bioactive compounds of date palm by-products. In *Sustainable Valorization of Date Palm By-products and Wastes*, 2026; 115–138. Elsevier.
- Ameen, M., Zia, M. A., Najeeb Alawadi, H. F., Naqve, M., Mahmood, A., Shahzad, A. N., Khan, B. A., Alhammad, B. A., Aljabri, M., & Seleiman, M. F. Exogenous application of selenium on sunflower (*Helianthus annuus* L.) to enhance drought stress tolerance by morpho-physiological and biochemical adaptations. *Frontiers in Plant Science*, 2024; 15: 1427420.
- Annamma, L. M., Azim, S. A., & Ashmawy, N. S. Nutraceuticals in Inflammatory Autoimmune Diseases. In *Nutraceuticals: A New Millennium Approach for Preventive Medicine*, 2024; (243–270). Springer.
- Bilski, R., & Nuzskiewicz, J. Antioxidant Therapies as Emerging Adjuncts in Rheumatoid Arthritis: Targeting Oxidative Stress to Enhance Treatment Outcomes. *International Journal of Molecular Sciences*, 2025; 26(7): 2873.
- Boissier, M.-C., Biton, J., Semerano, L., Decker, P., & Bessis, N. Origins of rheumatoid arthritis. *Joint Bone Spine*, 2020; 87(4): 301–306.
- Bryliński, Ł., Brylińska, K., Woliński, F., Sado, J., Smyk, M., Komar, O., Karpiński, R., Prządka, M., & Baj, J. Trace Elements—Role in Joint Function and Impact on Joint Diseases. *International Journal of Molecular Sciences*, 2025; 26(15): 7493.
- Chaudhary, S., Sharma, S., Fuloria, S., & Sharma, P. K. Anti-Inflammatory and Anti-Arthritis Activity of Quercetin: A Comprehensive Review. *Current Rheumatology Reviews*, 2025; 21(2): 144–159.
- Cho, K.-H., Kim, J.-E., Lee, M.-S., & Bahuguna, A. Oral supplementation of ozonated sunflower oil augments plasma antioxidant and anti-inflammatory abilities with enhancement of high-density lipoproteins functionality in rats. *Antioxidants*, 2024; 13(5): 529.
- Chojnacka, K., & Lewandowska, U. Inhibition of pro-inflammatory cytokine secretion by polyphenol-rich extracts in macrophages via NF-κB pathway. *Food Reviews International*, 2023; 39(8): 5459–5478.
- Cox, N., Mallen, C. D., & Scott, I. C. Pharmacological pain management in patients with rheumatoid arthritis: a narrative literature review. *BMC Medicine*, 2025; 23(1): 54.
- El-Sayed, A., Ebissy, E., Mohamed, R., & Ateya, A. Effects of antioxidant vitamins (A, D, E) and trace elements (Cu, Mn, Se, Zn) administration on gene expression, metabolic, antioxidants and immunological profiles during transition period in dromedary camels. *BMC Veterinary Research*, 2024; 20(1): 101.
- El Omari, N., Bakrim, S., Khalid, A., Abdalla, A. N., Iesa, M. A. M., El Kadri, K., Tang, S. Y., Goh, B. H., & Bouyahya, A. Unveiling the molecular mechanisms: Dietary phyosterols as guardians against cardiovascular diseases. *Natural Products and Bioprospecting*, 2024; 14(1): 27.
- Fang, Q., Zhou, C., & Nandakumar, K. S. (2020). Molecular and cellular pathways contributing to joint damage in rheumatoid arthritis. *Mediators of*

- Inflammation*, 2020.
17. Félix, R., Valentão, P., Andrade, P. B., Félix, C., Novais, S. C., & Lemos, M. F. L. Evaluating the in vitro potential of natural extracts to protect lipids from oxidative damage. *Antioxidants*, 2020; 9(3): 231.
 18. Ghosh, N., Pathak, S., Malsawmdawngkimi, Kumar, G., & Gull, A. Natural products and traditional herbal medicines as managerial therapies to combat rheumatoid arthritis. *Clinical & Translational Metabolism*, 2024; 22(1): 2.
 19. Hameister, R., Kaur, C., Dheen, S. T., Lohmann, C. H., & Singh, G. Reactive oxygen/nitrogen species (ROS/RNS) and oxidative stress in arthroplasty. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 2020; 108(5): 2073–2087.
 20. Harwood, J. L. Polyunsaturated fatty acids: conversion to lipid mediators, roles in inflammatory diseases and dietary sources. *International Journal of Molecular Sciences*, 2023; 24(10): 8838.
 21. Hasan, A. A., Khudhur, H. R., & Hameed, A. K. Rheumatic autoimmune diseases (focus on RA): prevalence, types, causes and diagnosis. *Karbala Journal of Pharmaceutical Sciences*, 2022; 1(20).
 22. Hassan, M. A., & Hamza, J. H. Iron, Zinc and Boron in Sunflower. *IOP Conference Series: Earth and Environmental Science*, 2025; 1487(1): 12109.
 23. Herdiana, Y. (2025). Bridging the Gap: The Role of Advanced Formulation Strategies in the Clinical Translation of Nanoparticle-Based Drug Delivery Systems. *International Journal of Nanomedicine*, 13039–13053.
 24. Iqbal, T. (n.d.). *EXPLORATION OF MEDICINAL PLANTS AT PEER DA KHARA (PEERKHARA): A HISTORICAL AND SPIRITUAL LANDMARK IN JHELUM DISTRICT, PAKISTAN*.
 25. Iqbal, T., & Ahmad, A. (2024). *Comparative Analysis of Omega-3 Fatty Acids Content in Plant and Animal Sources*.
<https://doi.org/10.26717/BJSTR.2024.58.009165>
 26. Iqbal, T., Ahmad, A., Naveed, M. T., Ali, A., & Ahmad, M. Potential Role of Zoonoses in Bioterrorism. *Zoonosis, Unique Scientific Publishers, Faisalabad, Pakistan*, 2023; 1: 499–512.
 27. Iqbal, T., & Ahmed, N. (n.d-a). *BAMBOO EXTRACTS LOADED PLGA NANOPARTICLES FOR THE TREATMENT OF RHEUMATOID ARTHRITIS*.
 28. Iqbal, T., & Ahmed, N. (n.d-b). *EXPLORING THE THERAPEUTIC POTENTIAL OF HERBAL MEDICINE IN TREATING MALE INFERTILITY: A COMPREHENSIVE REVIEW*.
 29. Iqbal, T., Ahmed, N., Mushtaq, S., Akhter, M. M., Hamza, A., Javed, A. R., Taj, M. T., Habib, A., Ahmad, U. F., & Haider, Z. (n.d.). *ASSESSING THE BIODIVERSITY AND ECOLOGICAL SIGNIFICANCE OF CHANGA MANGA: ONE OF THE WORLD'S OLDEST HAND-PLANTED FORESTS IN PAKISTAN*.
 30. Iqbal, T., & Altaf, S. (2025). Therapeutic potentials of marine-derived nutrients: Exploring the role of fish eggs and meat in disease prevention and health promotion. *Journal of Marine Studies*, 2204.
 31. Iqbal, T., Altaf, S., & Ahmed, N. (n.d.). *PJ PALGO JOURNAL OF AGRICULTURE*.
 32. Iqbal, T., Fatima, M., & Altaf, S. (n.d.). *Role of Platelet Membrane Coated Nanoparticles to Treat Rheumatoid Arthritis*.
 33. Iqbal, T., Javeria, A. Y., Altaf, S., & Naeem, S. A. (n.d.). *Innovative Approaches in Rheumatoid Arthritis: Utilizing Plants to Inhibit TNF-Alpha Production*.
 34. Iqbal, T., Salma, U., Ahmed, N., Ahmad, A., & Altaf, S. (n.d.). *ENHANCING FOOD SECURITY AND EXPORTS: THE ROLE OF SHRIMP FARMING IN PAKISTAN AQUACULTURE REVOLUTION*.
 35. Iqbal, T., Salma, U., Umair, M., Iqbal, H., Khalid, T., & Hyder, S. Utilizing Medicinal Plants for Disease Treatment in Aquaculture: An Approach to Improve Fish Health: Medicinal Plants in Aquaculture. *MARKHOR (The Journal of Zoology)*, 2024; 3–10.
 36. Iqbal, T., Yousaf, F., Irfan, A., Kaynat, W., Yasin, M., & Altaf, S. (n.d.). Anti-Inflammatory Properties of Lychee (*Litchi Chinensis* Sonn.) Seed Extracts: A Novel Therapeutic Approach for Rheumatoid Arthritis. *Medicinal Plants and Aromatics: A Holistic Health Perspective*, 1.
 37. Kapoor, B., Kapoor, D., Gautam, S., Singh, R., & Bhardwaj, S. Dietary polyunsaturated fatty acids (PUFAs): Uses and potential health benefits. *Current Nutrition Reports*, 2021; 10(3): 232–242.
 38. Kciuk, M., Garg, A., Rohilla, M., Chaudhary, R., Dhankhar, S., Dhiman, S., Bansal, S., Saini, M., Singh, T. G., & Chauhan, S. Therapeutic Potential of Plant-Derived Compounds and Plant Extracts in Rheumatoid Arthritis—Comprehensive Review. *Antioxidants*, 2024; 13(7): 775.
 39. Khadim, R. M., & Al-Fartusie, F. S. Antioxidant vitamins and their effect on immune system. *Journal of Physics: Conference Series*, 2021; 1853(1): 12065.
 40. Khurana, S., & Singh, R. Sunflower (*Helianthus annuus*) seed. In *Oilseeds: health attributes and food applications*, 2020; 123–143. Springer.
 41. Kumar, J., Rani, K., & Datt, C. Molecular link between dietary fibre, gut microbiota and health. *Molecular Biology Reports*, 2020; 47(8): 6229–6237.
 42. Liew, C. X.-Q., Le, C.-F., Ling, S.-K., Chow, S.-C., Chan, L. L., Ong, K. C., & Fang, C.-M. Immunomodulatory Effects of Phytosterols and Glycosides Derived from *Clinacanthus nutans* in C57BL/6 Mice. *Progress In Microbes & Molecular Biology*, 2025; 8(1).
 43. Lim, H. C., Lee, S. K., Keng, J. W., Lee, E. Q., Tan, E. S. S., Liew, K. Bin, Mai, C. W., Lee, S. K., Chen, L., & Low, M. L. Mechanistic insights and clinical evidence of *Helianthus annuus* Linn.(Sunflower) seed oil for dermatological applications: A narrative review. *Drug Delivery and Translational Research*, 2025; 1–17.
 44. Maheshwari, S., Kumar, V., Bhaduria, G., & Mishra, A. Immunomodulatory potential of phytochemicals and other bioactive compounds of fruits: A review. *Food Frontiers*, 2022; 3(2): 221–238.
 45. Mazzocchi, A., De Cosmi, V., Risé, P., Milani, G. P., Turolo,

- S., Syrén, M.-L., Sala, A., & Agostoni, C. Bioactive compounds in edible oils and their role in oxidative stress and inflammation. *Frontiers in Physiology*, 2021; 12: 659551.
46. Munteanu, C., & Schwartz, B. The relationship between nutrition and the immune system. *Frontiers in Nutrition*, 2022; 9: 1082500.
47. Mushtaq, H., Zahid, H., Ahmad, D., Sattar, A., & Iqbal, T. (n.d.). *Efficacy of Homeopathic Therapy in Arthritis Treatment*.
48. Mustonen, A.-M., & Nieminen, P. Fatty acids and oxylipins in osteoarthritis and rheumatoid arthritis—A complex field with significant potential for future treatments. *Current Rheumatology Reports*, 2021; 23(6): 41.
49. Poudel, P., Petropoulos, S. A., & Di Gioia, F. Plant tocopherols and phytosterols and their bioactive properties. In *Natural Secondary Metabolites: From Nature, Through Science, to Industry*, 2023; 285–319. Springer.
50. Prasad, P., Verma, S., Surbhi, Ganguly, N. K., Chaturvedi, V., & Mittal, S. A. Rheumatoid arthritis: advances in treatment strategies. *Molecular and Cellular Biochemistry*, 2023; 478(1): 69–88.
51. Rafeeq, H., Ahmad, S., Tareen, M. B. K., Shahzad, K. A., Bashir, A., Jabeen, R., & Shehzadi, I. Biochemistry of fat soluble vitamins, sources, biochemical functions and toxicity. *Haya: The Saudi Journal of Life Sciences*, 2020; 5(6): 188–196.
52. Saleh, H. A., Yousef, M. H., & Abdelnaser, A. The anti-inflammatory properties of phytochemicals and their effects on epigenetic mechanisms involved in TLR4/NF- κ B-mediated inflammation. *Frontiers in Immunology*, 2021; 12: 606069.
53. Saqib, M., Iqbal, K. J., Khan, S., Gulnaz, R., Iqbal, T., Mankga, L. T., & Fatima, K. Immune boosters to combat zoonotic viral diseases. *Zoonosis, Unique Scientific Publishers, Faisalabad, Pakistan*, 2023; 3: 344–358.
54. Satapathy, T., Minj, A., & Verma, M. Impact of NSAIDs corticosteroids DMARDs biologics and their comparisons with natural products in C-reactive proteins (CRP) linked cardiovascular disorders. *Inflammopharmacology*, 2025; 1–27.
55. Sharma, A., & Goel, A. Pathogenesis of rheumatoid arthritis and its treatment with anti-inflammatory natural products. *Molecular Biology Reports*, 2023; 50(5): 4687–4706.
56. Sharma, D., Chaubey, P., & Suvarna, V. Role of natural products in alleviation of rheumatoid arthritis—A review. *Journal of Food Biochemistry*, 2021; 45(4): e13673.
57. Singh, N., Sherin, G. R., & Mugesh, G. Antioxidant and Prooxidant Nanozymes: From Cellular Redox Regulation to Next-Generation Therapeutics. *Angewandte Chemie*, 2023; 135(33): e202301232.
58. Sokolova, M. V., Schett, G., & Steffen, U. Autoantibodies in rheumatoid arthritis: historical background and novel findings. *Clinical Reviews in Allergy & Immunology*, 2022; 63(2): 138–151.
59. Souza, A. C. R., Vasconcelos, A. R., Dias, D. D., & Komoni, G. The integral role of magnesium in muscle integrity and aging: a comprehensive review. *Nutrients*, 2023; 15(24): 5127.
60. Szymańska, R., Nowicka, B., Trela, A., & Kruk, J. Vitamin E: Structure and forms. In *Molecular nutrition*, 2020; 67–90. Elsevier.
61. Tonolo, F., Coletta, S., Fiorese, F., Grinzato, A., Albanesi, M., Folda, A., Ferro, S., De Mario, A., Piazza, I., & Mammucari, C. Sunflower seed-derived bioactive peptides show antioxidant and anti-inflammatory activity: From in silico simulation to the animal model. *Food Chemistry*, 2024; 439: 138124.
62. Venetsanopoulou, A. I., Voulgari, P. V., & Drosos, A. A. Advances in non-biological drugs for the treatment of rheumatoid arthritis. *Expert Opinion on Pharmacotherapy*, 2024; 25(1): 45–53.
63. Wang, X., Fan, D., Cao, X., Ye, Q., Wang, Q., Zhang, M., & Xiao, C. The role of reactive oxygen species in the rheumatoid arthritis-associated synovial microenvironment. *Antioxidants*, 2022; 11(6): 1153.
64. Winiarska-Mieczan, A., Kwiecień, M., Jachimowicz-Rogowska, K., Donaldson, J., Tomaszewska, E., & Baranowska-Wójcik, E. Anti-inflammatory, antioxidant, and neuroprotective effects of polyphenols—polyphenols as an element of diet therapy in depressive disorders. *International Journal of Molecular Sciences*, 2023; 24(3): 2258.
65. Zamudio-Cuevas, Y., Martínez-Flores, K., Martínez-Nava, G. A., Clavijo-Cornejo, D., Fernández-Torres, J., & Sánchez-Sánchez, R. Rheumatoid arthritis and oxidative stress. *Cellular and Molecular Biology*, 2022; 68(6): 174–184.